






8 D4050-1 STRUT

- NOTES:
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SEAMLESS TUBE $\phi 0.750 \times 0.049$ WALL
 - 2) FINISH: POWDER COAT "WHITE" (4.3.5.2) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N USING FINE POINT PERMANENT INK MARKER
 - 7) WEIGHT: 0.55 lbs
 - 8) PUNCH BOTH END PER SPEC CONTROL DRAWING D2638

RELEASED
2010-02-15

SUPERCEDED BY
REV. B 10.02.11 RF

A		NEW ISSUE		RF		10.01.28			
REV.		DESCRIPTION				BY		DATE	
DESIGN		RF		<div>DART AEROSPACE LTD</div> <div>HAWKESBURY, ONTARIO, CANADA</div>					
DRAWN		RF							
CHECKED				DRAWING NO.				REV. A	
MFG. APPR.				D4050				SHEET 1 OF 4	
APPROVED				TITLE				SCALE	
DE APPR.				STRUT				NTS	
DATE		10.01.28		<div>COPYRIGHT © 2010 BY DART AEROSPACE LTD</div> <div>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</div>					



8 **D4050-3 STRUT**

RELEASED
2010-02-15

SUPERCEDED BY

REV. B 10.02.11

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SEAMLESS TUBE Ø0.750 x 0.049 WALL
- 2) FINISH: POWDER COAT "WHITE" (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.48 lbs
- 8) PUNCH BOTH END PER SPEC CONTROL DRAWING D2638

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. A
MFG. APPR.	RF	D4050	SHEET 2 OF 4
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	STRUT	NTS
DATE	10.01.28	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D

REV. B 10.02.11

2010-02-11

A

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SEAMLESS TUBE Ø0.750 x 0.049 WALL
- 2) FINISH: POWDER COAT "WHITE" (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 1.04 lbs
- 8) PUNCH BOTH END PER SPEC CONTROL DRAWING D2638

A

8 7 6 5 4 3 2 1

D

D

C


C

B

B

A

A



8 D4050-8 STRUT

SUPERCEDED BY
RELEASED
2010-02-11

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SEAMLESS TUBE $\phi 0.750 \times 0.049$ WALL
- 2) FINISH: POWDER COAT "WHITE" (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 1.06 lbs
- 8) PUNCH BOTH END PER SPEC CONTROL DRAWING D2638

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO. D4050	REV. A
MFG. APPR.	RF	SHEET 4 OF 4	
APPROVED	RF	TITLE STRUT	SCALE NTS
DE APPR.	RF	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	10.01.28		